

## SPS fibre FORM Instrument Protection Enclosure Type FF107 .....



Dimensions: (Approx.) Height x Width x Depth  
27-1/2"(700mm)x18-1/2"(470mm) x17"(430mm)

Weights: (Approx.)

Un-Insulated 33 lbs. / 15 kgs.

Insulated 38 lbs. / 17 kgs.

SPS fibre FORM enclosures are "Resin Transfer Molded" with glass reinforced epoxy vinyl ester resin. The outer surface standard is light gray coloured "Gel-Coat" for ultimate "UV" protection. Stainless steel hinges and clasps combine with a silicone gasket to provide Nema 4X protection.



### OPTIONS:

I-PUAL	- Extra Insulation (Aluminum Foil)
I-PUFR	- Extra Insulation (FRP coated)
I-PUSS	- Extra Insulation (Stainless Foil)
LPS	- Stainless Lid Prop-Stay
CMSS	- Stainless Steel Corner Mount
CMCSP	- Plated Steel Corner Mount
IMP	- Internal 2" Instrument Mount Post
IMPH	- Internal Horizontal 2" Mount Post
IMPV	- Internal Vertical 2" Mount Post
EMP	- External 2" Post Mount Hub
GMP	- Galvanized Mounting Plate
GWB	- Galvanized Wall Mount Bracket
RMS	- Internal Mounting Rail System
PW	- Plexi-Glass Window
SW	- Safety Glass Window

